

# 19" RACK CABINET SOLUTIONS

## COLOCATION SERIES

SERVER RACKS | NETWORK CABINETS | DATA CENTER SOLUTIONS



ENGINEERING SOLUTIONS FOR CRITICAL SYSTEMS



CE



RoHS  
COMPLIANT



ISO  
9001:2015



RELIABLE  
PRODUCTION

## VEGA COLOCATION SERIES




AGER COLOCATION Series is designed for server housing and co-location centers. All types of active or passive 19" equipment can be housed inside.



### Color Options

RAL7035 Light Grey

RAL9005 Black



#### TOP CABLE ENTRY

In 800 width standard cabinets; In cabinets with depth 800mm and above, there are 3 70\*316mm brushed cable entry halls at the top.

#### BOTTOM CABLE ENTRY

There is a 250\*350mm sliding cable entry hall in the lower rear center part. Thanks to the rubber-edged cable hole module with maximum sliding distance, the cables entering the cabinet are compressed without damage, while protection is provided against unwanted substances and dust that may enter under the cabinet. There is one 70\*316mm brushed cable entry hall on the right and left side.



## CABINET STRUCTURE



AGER Colocation Cabinets provide a secure, self-contained environment for multiple tenants to share a single cabinet. The purpose is to efficiently use the floor space in the data center by minimizing the amount of unused space in the cabinets.


The most distinctive feature of the cabinets is the secure cable ducts inside the partitions.



## COLOCATION 2 SECTION CABINETS

---



**Material**

- 1.2 mm DKP

**IP Classification**

- As a standard IP20
- IP40 when solid metal panel applied for all access

**Color Options**

- RAL9005 Black
- RAL7035 White

**Loading Capacity**

- Recommended up to 600 kg Loading capacity

**Doors**

- Door options are available.
- Single point locking system
- Doors can be opened to 110 degree.
- Doors can be opened to left or right direction

**Mounting Rails**

- 19" Mounting rails; adjustable in depth of the cabinet
- 1.5mm DX51D galvanic

**Side Panels**

- Locking system is available, Side panels are removable.

**Bottom**

- Sliding cable panel, brushed cable entry hole

**Rear Door**


- Rear door is lockable.
- Rear door options are available

**Ground contact**


- Caster and levelling feet options are available
- Plinth is available as an option.

**Top Sheet**



- Fan module and Pagoda type top cover are available as an option

**AGER****COLOCATION SERIES**


FRONT VIEW




INSIDE VIEW




REAR VIEW





TOP VIEW



BOTTOM VIEW



DOOR OPENING ANGLE

SIDE VIEW WITHOUT  
SIDE PANEL

ISOMETRIC VIEW

**19" AGER Colocation 2 Section Cabinets**

| Product Code                  | Product Description                        | Height<br>Size in<br>U (U) | Width (w)<br>(mm) | Depth (D)<br>(mm) | Height (H)<br>(mm) | Weight<br>(Net) (kg) | Weight<br>(Gross) (kg) |
|-------------------------------|--------------------------------------------|----------------------------|-------------------|-------------------|--------------------|----------------------|------------------------|
| AG-VB-42U8080-2BL-XX-0000-YY  | 19" AGER Colocation Free Standing Cabinets | 42U                        | 800               | 800               | 1866               | 97,5                 | 115,3                  |
| AG-VB-42U8010-2BL-XX-0000-YY  | 19" AGER Colocation Free Standing Cabinets | 42U                        | 800               | 1000              | 1866               | 107,4                | 127,9                  |
| AG-VB-42U8012-2 BL-XX-0000-YY | 19" AGER Colocation Free Standing Cabinets | 42U                        | 800               | 1200              | 1866               | 117,3                | 137,8                  |
| AG-VB-47U8080-2BL-XX-0000-YY  | 19" AGER Colocation Free Standing Cabinets | 47U                        | 800               | 800               | 2089               | 131,2                | 154,2                  |
| AG-VB-47U8010-2BL-XX-0000-YY  | 19" AGER Colocation Free Standing Cabinets | 47U                        | 800               | 1000              | 2089               | 141,1                | 164,1                  |
| AG-VB-47U8012-2 BL-XX-0000-YY | 19" AGER Colocation Free Standing Cabinets | 47U                        | 800               | 1200              | 2089               | 151                  | 174                    |
| AG-VB-52U8080-2BL-XX-0000-YY  | 19" AGER Colocation Free Standing Cabinets | 52U                        | 800               | 800               | 2311               | 145,1                | 170,6                  |
| AG-VB-52U8010-2BL-XX-0000-YY  | 19" AGER Colocation Free Standing Cabinets | 52U                        | 800               | 1000              | 2311               | 155                  | 180,5                  |
| AG-VB-52U8012-2 BL-XX-0000-YY | 19" AGER Colocation Free Standing Cabinets | 52U                        | 800               | 1200              | 2311               | 164,9                | 190,4                  |

XX = Colour Code, B1 White RAL 7035, S1 Black RAL 9005, during order please specify the colour choice  
Please consider when used levelling feet 30mm add to height, in castor add 80mm.  
0000 = Please check the Door Options page.  
YY = M1 for pre-assembled, D1 for flat pack.

## COLOCATION 3 SECTION CABINETS


---





# AGER

## COLOCATION SERIES



### Material

- 1.2 mm DKP

### IP Classification

- As a standard IP20
- IP40 when solid metal panel applied for all access

### Color Options

- RAL9005 Black
- RAL7035 White

### Loading Capacity

- Recommended up to 600 kg Loading capacity

### Doors

- Door options are available.
- Single point locking system
- Doors can be opened to 110 degree.
- Doors can be opened to left or right direction

### Mounting Rails

- 19" Mounting rails; adjustable in depth of the cabinet
- 1.5mm DX51D galvanic

### Side Panels

- Locking system is available, Side panels are removable.

### Bottom

- Sliding cable panel, brushed cable entry hole

### Rear Door


- Rear door is lockable.
- Rear door options are available

### Ground contact


- Caster and levelling feet options are available
- Plinth is available as an option.

### Top Sheet


- Fan module and Pagoda type top cover are available as an option




FRONT VIEW




INSIDE VIEW




SIDE VIEW




REAR VIEW





TOP VIEW



BOTTOM VIEW



DOOR OPENING ANGLE

SIDE VIEW WITHOUT  
SIDE PANEL

ISO VIEW


## 19" AGER Colocation 3 Section Cabinets


| Product Code                 | Product Description                        | Height<br>Size in<br>U (U) | Width (W)<br>(mm) | Depth (D)<br>(mm) | Height (H)<br>(mm) | Weight<br>(Net) (kg) | Weight<br>(Gross) (kg) |
|------------------------------|--------------------------------------------|----------------------------|-------------------|-------------------|--------------------|----------------------|------------------------|
| AG-VB-42U8080-3BL-XX-0000-YY | 19" AGER Colocation Free Standing Cabinets | 42U                        | 800               | 800               | 1866               | 100,5                | 118,3                  |
| AG-VB-42U8010-3BL-XX-0000-YY | 19" AGER Colocation Free Standing Cabinets | 42U                        | 800               | 1000              | 1866               | 110,4                | 130,9                  |
| AG-VB-42U8012-3BL-XX-0000-YY | 19" AGER Colocation Free Standing Cabinets | 42U                        | 800               | 1200              | 1866               | 120,3                | 140,8                  |
| AG-VB-47U8080-3BL-XX-0000-YY | 19" AGER Colocation Free Standing Cabinets | 47U                        | 800               | 800               | 2089               | 134,2                | 157,2                  |
| AG-VB-47U8010-3BL-XX-0000-YY | 19" AGER Colocation Free Standing Cabinets | 47U                        | 800               | 1000              | 2089               | 144,1                | 167,1                  |
| AG-VB-47U8012-3BL-XX-0000-YY | 19" AGER Colocation Free Standing Cabinets | 47U                        | 800               | 1200              | 2089               | 154                  | 177                    |
| AG-VB-52U8080-3BL-XX-0000-YY | 19" AGER Colocation Free Standing Cabinets | 52U                        | 800               | 800               | 2311               | 148,1                | 173,6                  |
| AG-VB-52U8010-3BL-XX-0000-YY | 19" AGER Colocation Free Standing Cabinets | 52U                        | 800               | 1000              | 2311               | 158                  | 183,5                  |
| AG-VB-52U8012-3BL-XX-0000-YY | 19" AGER Colocation Free Standing Cabinets | 52U                        | 800               | 1200              | 2311               | 167,9                | 193,4                  |

XX = Colour Code, B1 White RAL 7035, S1 Black RAL 9005, during order please specify the colour choice  
Please consider when used levelling feet 30mm add to height, in castor add 80mm.  
0000 = Please check the Door Options page.  
YY = M1 for pre-assembled, D1 for flat pack.

## COLOCATION 4 SECTION CABINETS

---



**Material**

- 1.2 mm DKP

**IP Classification**

- As a standard IP20
- IP40 when solid metal panel applied for all access

**Color Options**

- RAL9005 Black
- RAL7035 White

**Loading Capacity**

- Recommended up to 600 kg Loading capacity

**Doors**

- Door options are available.
- Single point locking system
- Doors can be opened to 110 degree.
- Doors can be opened to left or right direction

**Mounting Rails**

- 19" Mounting rails; adjustable in depth of the cabinet
- 1.5mm DX51D galvanic

**Side Panels**

- Locking system is available, Side panels are removable.

**Bottom**

- Sliding cable panel, brushed cable entry hole

**Rear Door**


- Rear door is lockable.
- Rear door options are available

**Ground contact**


- Caster and levelling feet options are available
- Plinth is available as an option.

**Top Sheet**


- Fan module and Pagoda type top cover are available as an option




FRONT VIEW




INSIDE VIEW




SIDE VIEW




REAR VIEW




TOP VIEW




BOTTOM VIEW



DOOR OPENING ANGLE



SIDE VIEW WITHOUT  
SIDE PANEL



ISO VIEW

### 19" AGER Colocation 4 Section Cabinets

| Product Code                 | Product Description                        | Height<br>Size in<br>U (U) | Width (w)<br>(mm) | Depth (d)<br>(mm) | Height (H)<br>(mm) | Weight<br>(Net) (kg) | Weight<br>(Gross) (kg) |
|------------------------------|--------------------------------------------|----------------------------|-------------------|-------------------|--------------------|----------------------|------------------------|
| AG-VB-42U8080-4BL-XX-0000-YY | 19" AGER Colocation Free Standing Cabinets | 42U                        | 800               | 800               | 1866               | 103,5                | 121,3                  |
| AG-VB-42U8010-4BL-XX-0000-YY | 19" AGER Colocation Free Standing Cabinets | 42U                        | 800               | 1000              | 1866               | 113,4                | 133,9                  |
| AG-VB-42U8012-4BL-XX-0000-YY | 19" AGER Colocation Free Standing Cabinets | 42U                        | 800               | 1200              | 1866               | 123,3                | 143,8                  |
| AG-VB-47U8080-4BL-XX-0000-YY | 19" AGER Colocation Free Standing Cabinets | 47U                        | 800               | 800               | 2089               | 137,2                | 160,2                  |
| AG-VB-47U8010-4BL-XX-0000-YY | 19" AGER Colocation Free Standing Cabinets | 47U                        | 800               | 1000              | 2089               | 147,1                | 170,1                  |
| AG-VB-47U8012-4BL-XX-0000-YY | 19" AGER Colocation Free Standing Cabinets | 47U                        | 800               | 1200              | 2089               | 157                  | 180                    |
| AG-VB-52U8080-4BL-XX-0000-YY | 19" AGER Colocation Free Standing Cabinets | 52U                        | 800               | 800               | 2311               | 148,1                | 173,6                  |
| AG-VB-52U8010-4BL-XX-0000-YY | 19" AGER Colocation Free Standing Cabinets | 52U                        | 800               | 1000              | 2311               | 158                  | 183,5                  |
| AG-VB-52U8012-4BL-XX-0000-YY | 19" AGER Colocation Free Standing Cabinets | 52U                        | 800               | 1200              | 2311               | 167,9                | 193,4                  |

XX = Colour Code, B1 White RAL 7035, S1 Black RAL 9005, during order please specify the colour choice  
Please consider when used levelling feet 30mm add to height, in castor add 80mm.  
0000 = Please check the Door Options page.  
YY = M1 for pre-assembled, D1 for flat pack.